

Year 4 - Arithmetic Expectations

This series of documents aims to summarise the number facts, mental calculation strategies and the stage(s) of the progression towards the written methods for each of the four operations.

For each strategy, the concrete and pictorial representations have been suggested. However, to keep the document to a more manageable size, the imagery has not been shown explicitly as this should be found in your school's agreed mental calculations policies.

The strategies used within this document are taken from the Lancashire Mathematics Team Progression in Mental Calculation Strategies Policies and the Progression Towards Written Methods Policies.

See www.lancsngfl.ac.uk/curriculum/primarymaths for the full policies.

Each strategy will require specific modelling (teaching) and sufficient practice for children to develop confidence, accuracy and fluency in performing them.

Children should also be taught when it is appropriate to use each strategy, by looking at the numbers involved and making effective decisions. Again, this is a sign of a child's fluency in mathematics; being able to recognise which strategy best suits a given calculation, rather than always using the same method regardless of the numbers involved.

Acknowledgements

Special thanks to the following teachers who helped to create these documents:

Sue Byrom – Colne Park Primary
Tara Warbrick – Colne Park Primary

Naomi Tyson – Gisburn Road Community Primary
Nick Browne – Gisburn Road Community Primary

Hannah Blackburn – Lowerhouse Juniors
Jess Dornan – Lowerhouse Juniors

Jane Dempsey – Burnley Springfield Primary
Andrew Douglas – Burnley Springfield Primary


Laura Mitchell – Burnley St Stephen's CE Primary
Moirá Waller – Burnley St Stephen's CE Primary


Michelle Hume – Whittlefield Primary
Stephen Riley – Whittlefield Primary

Arithmetic Expectations – Year 4

Skills	Examples
Counting	
Count in multiples of 6, 7, 9, 25 and 100	Count from 0 in sixes What number would come next in this counting sequence? 0, 7, 14, 21, 28, ___ What number is missing from this counting sequence? 0, 25, 50, 100, 125
Count backwards through zero to include negative numbers.	What number would come next in this counting sequence? 5, 0, -5, -10,
Count up and down in hundredths.	Count from 0 in hundredths Count back from $\frac{34}{100}$ to $\frac{15}{100}$ Continue this sequence: 0.06, 0.07, 0.08...
Find 0.1, 1, 10, 100 or 1000 more or less than a given number.	What is 1000 more than 2345? 10 less than 709 is ____. What is one tenth more than 5.9? What is 100 less than 1176? What is 100 less than 1076?
Number Facts	
Recall and use addition and subtraction facts for 100	$100 - 33 = \underline{\quad}$ $24 + \underline{\quad} = 100$ $100 = \underline{\quad} + 71$ $100 - 49 = \underline{\quad}$ $100 - \underline{\quad} = 19$ $68 = 100 - \underline{\quad}$
Recall and use addition and subtraction facts for multiples of 100 totalling 1000	$1000 - 400 = \underline{\quad}$ $200 + \underline{\quad} = 1000$ $1000 = \underline{\quad} + 100$ $300 = 1000 - \underline{\quad}$ $\underline{\quad} = \underline{\quad}00 + \underline{\quad}00$ find different ways to complete
Recall multiplication and division facts for multiplication tables up to 12 x 12	$7 \times 6 = \underline{\quad}$ $48 = 12 \times \underline{\quad}$ $3 \times \underline{\quad} = 27$ $\underline{\quad} \times \underline{\quad} = 35$ $45 \div 9 = \underline{\quad}$ $\underline{\quad} \div 8 = 11$ $12 = 108 \div \underline{\quad}$
Multiplying by 0 and 1	$354 \times 1 = \underline{\quad}$ $803 \times \underline{\quad} = 803$ $1734 = 1 \times \underline{\quad}$ $354 \times 0 = \underline{\quad}$ $803 \times \underline{\quad} = 0$ $0 = 0 \times \underline{\quad}$
Dividing by 1	$542 \div 1 = \underline{\quad}$ $607 = 607 \div \underline{\quad}$ $38 = \underline{\quad} \div 1$
Recognise and use factor pairs and commutativity in mental calculations.	$60 \times 3 = 6 \times 10 \times 3$ reordered to give $6 \times 3 \times 10 = 180$ $14 \times 4 = 7 \times 2 \times 4$ with order of calculations being $7 \times (2 \times 4) = 56$
Mental Calculation Strategies – Addition and Subtraction	
Derive and use addition and subtraction facts for 1 and 10 (with decimal numbers to one decimal place)	$0.5 + \underline{\quad} = 1$ $2.3 + \underline{\quad} = 10$ $\underline{\quad} + 0.7 = 1$ $\underline{\quad} + 8.2 = 10$ $1 = 0.3 + \underline{\quad}$ $10 = 5.6 + \underline{\quad}$ $1 = \underline{\quad} + 0.8$ $10 = \underline{\quad} + 2.2$ $1 - 0.8 = \underline{\quad}$ $10 - 6.1 = \underline{\quad}$ $1 - \underline{\quad} = 0.6$ $10 - \underline{\quad} = 4.9$ $0.4 = 1 - \underline{\quad}$ $2.8 = 10 - \underline{\quad}$ $\underline{\quad} = 1 - 0.9$ $\underline{\quad} = 10 - 6.7$

<p>Partition and combine multiples of hundreds, tens and ones. <i>Concrete – Diennes equipment, place value counters</i> <i>Pictorial – number line</i></p>	<p>320 + 150 320 add 100 = 420 then add 50 = 470 243 + 230 243 add 200 = 443 then add 30 = 473 460 – 140 460 subtract 100 = 360 then subtract 40 = 320 562 – 320 562 subtract 300 = 262 then subtract 20 = 242 234 + 125 234 add 100 = 334 then add 20 = 354 then add 5 = 359 (not crossing any boundaries) 765 – 241 765 subtract 200 = 565 then subtract 40 = 515 then subtract 1 = 514 (not crossing any boundaries) 85 + 47 85 add 40 = 125 then add 7 = 132 (crossing hundreds and tens boundaries) 122 – 35 122 subtract 30 = 92 then subtract 5 = 87 (crossing hundreds and tens boundaries)</p>
<p>Reorder numbers in a calculation. <i>Concrete – Diennes equipment, place value counters, beadstring</i></p>	<p>7 + 12 + 3 + 5 reordered as 7 + 3 + 12 + 5 to make use of the bond to 10 18 + 6 – 8 reordered as 18 – 8 + 6 to make use of the place value of 18 27 + 75 reordered as 75 + 27 to make use of 75 + 25 seeing 27 as 25 + 2</p>
<p>Identify and use knowledge of number bonds within a calculation and identify related facts, e.g. 150 + 270 from 15 + 27 <i>Concrete – Diennes equipment, place value counters</i> <i>Pictorial – Diennes jottings</i></p>	<p>120 + 80 using knowledge of 12 + 8 = 20 250 + 130 using knowledge of 25 + 13 = 38 200 – 70 using knowledge of 20 – 7 = 13 460 – 150 using knowledge of 46 – 15 = 31</p>
<p>Find differences by counting up through the next multiple of 10 or 100 <i>Concrete – Diennes equipment, beadstring</i> <i>Pictorial – number line</i></p>	<p>80 – 43 43 + 7 = 50 + 30 = 80 so the difference is 37 92 – 35 35 + 5 = 40 + 50 = 90 + 2 = 92 so the difference is 57 203 – 96 96 + 4 = 100 + 100 = 200 + 3 = 203 so the difference is 107 504 – 180 180 + 20 = 200 + 300 = 500 + 4 = 504 so the difference is 324</p>
<p>Bridge through 10 when adding or subtracting a single digit number (partitioning, e.g. 58 + 5 = 58 + 2 + 3 or 76 – 8 = 76 – 6 – 2) <i>Concrete – Diennes equipment, beadstring</i> <i>Pictorial – number line</i></p>	<p>48 + 35 as 48 + 2 + 33 = 50 + 33 = 83 97 + 64 as 97 + 3 + 61 = 100 + 61 = 161 103 – 25 as 103 – 3 – 22 = 100 – 22 (using number bonds to 100) 230 – 72 as 230 – 30 – 40 – 2 = 200 – 40 – 2</p>
<p>Add or subtract a multiple of 10 and adjust (for those numbers close to multiples of 10) <i>Concrete – Diennes equipment, place value counters</i> <i>Pictorial – number line</i></p>	<p>84 + 28 as 84 + 30 – 2 = 114 – 2 = 112 167 + 48 as 167 + 50 – 2 = 217 – 2 = 215 96 – 38 as 96 – 40 + 2 = 56 + 2 = 58 213 – 58 as 213 – 60 + 2 = 153 + 2 = 155</p>
Mental Calculation Strategies – Multiplication and Division	
<p>Multiply a one- or two-digit number by 10 and 100 <i>Concrete – Diennes equipment, place value counters</i> <i>Pictorial – place value chart</i></p>	<p>7 × 10 9 × 100 71 × 10 63 × 100</p>

<p>Use related facts to multiply H00 by a one-digit number Concrete – Diennes equipment, place value counters Pictorial – place value chart, related facts multiplication trio e.g. $7 \times 6 = 42$ then $700 \times 6 = 4200$</p> <div style="text-align: center;">  </div>	<p>600×7 related to $6 \times 7 = 42$ This should be understood as ‘six hundred sevens’. As the number of 7s is 100 times greater than six sevens, so the product is 100x greater.</p> <p>500×8 related to $5 \times 8 = 40$ 900×6 related to $9 \times 6 = 54$</p>
<p>Use factor pairs to multiply H00 by a one-digit number. Pictorial – place value chart for multiplying by 100</p>	<p>600×7 becomes $6 \times 100 \times 7$ reordered as $6 \times 7 \times 100$ 500×8 becomes $5 \times 100 \times 8$ reordered as $5 \times 8 \times 100$ 900×6 becomes $9 \times 100 \times 6$ reordered as $9 \times 6 \times 100$</p>
<p>Use compensation to multiply T9 by a one-digit number. NB T9 represents a two-digit number with 9 ones Pictorial – rectangular array or a rectangle with given dimensions</p>	<p>49×3 considered as $50 \times 3 - 1 \times 3$ (read as ‘fifty threes subtract one three’) 29×7 considered as $30 \times 7 - 1 \times 7$ (read as ‘thirty sevens subtract one seven’) 89×6 considered as $90 \times 6 - 1 \times 6$ (read as ‘ninety sixes subtract one six’)</p>
<p>Use related facts to multiply TU x 5 (by multiplying by 10 and halving). Concrete – Diennes equipment, place value counters Pictorial – place value chart and a part-part-whole diagram, rectangular arrays on squared paper</p>	<p>28×5 becomes $28 \times 10 = 280$ then $280 \div 2 = 140$ 81×5 becomes $81 \times 10 = 810$ then $810 \div 2 = 405$ 54×5 becomes $54 \times 10 = 540$ then $540 \div 2 = 270$</p>
<p>Use related facts to multiply TU x 20 (by multiplying by 10 and doubling). Concrete – Diennes equipment, place value counters Pictorial – place value chart and a part-part-whole diagram, rectangular arrays on squared paper</p>	<p>34×20 becomes $34 \times 10 = 320$ then $320 \times 2 = 640$ 47×20 becomes $47 \times 10 = 470$ then $470 \times 2 = 940$ 68×20 becomes $68 \times 10 = 680$ then $680 \times 2 = 1360$</p>
<p>Use partitioning to multiply TU by a one-digit number. Pictorial – partitioning diagram using grid method strategy</p>	<p>57×4 becomes $50 \times 4 + 7 \times 4$ (read as ‘fifty fours add seven fours’) 36×7 becomes $30 \times 7 + 6 \times 7$ (read as ‘thirty sevens add six sevens’) 93×6 becomes $90 \times 6 + 3 \times 6$ (read as ‘ninety sixes add three sixes’)</p>
<p>Multiply together three numbers. Concrete – rectangular arrays created with counters or cubes Pictorial – rectangular arrays on squared paper</p>	<p>$3 \times 4 \times 6$ (read as ‘three lots of four sixes’) $7 \times 3 \times 9$ (read as ‘seven lots of three nines’) $5 \times 6 \times 8$ (read as ‘five lots of six eights’)</p>
<p>Use place value, known and derived facts to divide mentally. Concrete – Diennes equipment, place value counters Pictorial – place value chart</p>	<p>$120 \div 10$ $600 \div 100$ $850 \div 10$</p>

<p>Use related facts to divide HT0 by a one-digit number. <i>Pictorial – place value chart, related facts division trio e.g. $42 \div 6 = 7$ then $420 \div 60 = 7$</i></p> <div style="text-align: center;">  </div>	<p>$480 \div 8$ related to $48 \div 8$ $630 \div 9$ related to $63 \div 9$ $300 \div 6$ related to $30 \div 5$</p>
<p>Use partitioning to divide TU by a one-digit number. <i>Concrete – Diennes equipment, place value counters Pictorial – part-part-whole diagram</i></p>	<p>$68 \div 4$ by partitioning into 40 and 28 (both multiples of 4) $95 \div 5$ by partitioning into 50 and 45 (both multiples of 5) $84 \div 6$ by partitioning into 60 and 24 (both multiples of 6)</p>
<p>Use partitioning to double or halve any number, including decimals to one decimal place. <i>Concrete – place value counters Pictorial – partitioning diagram</i></p>	<p>Double 374 Halve 468 Double 4524 Find half of 7602 Double 7.6 What is half of 8.2?</p>

Progression Towards Written Calculation Strategies – Addition

This is the final stage of the method, and should be continued to be used for all written addition calculations.

The first example would be explained as follows:

$5 + 8 = 13$, put 3 down and carry the 10 (*written as a 1 in the tens column*)

$20 + 40 + 10$ that was carried over = 70 (*7 written in the tens column*)

$600 + 0 = 600$ (*6 written in the hundreds column*)

Children will be expected to use this method for adding numbers with more than 3 digits, numbers involving decimals and adding any number of amounts together.

Supported (if necessary) by the use of place value counters.

$\begin{array}{r} \text{HTU} \\ 625 \\ + 48 \\ \hline 673 \\ \hline 1 \end{array}$	$\begin{array}{r} 367 \\ + 85 \\ \hline 452 \\ \hline 11 \end{array}$	$\begin{array}{r} 321 \\ + 7 \\ \hline 376 \\ \hline 1 \end{array}$	$\begin{array}{r} \pounds 3.48 \\ + \pounds 0.78 \\ \hline \pounds 4.26 \\ \hline 11 \end{array}$
--	---	---	---

Progression Towards Written Calculation Strategies – Subtraction

This final stage is the compact method of decomposition. The example shows how the same calculation would be carried out using the method from the previous year and the final method.

This is the final stage of the process and will continue to be used with greater numbers and numbers involving decimals.

Supported (if necessary) by the use of place value counters.

$\begin{array}{r} 754 \\ - 86 \\ \hline \end{array}$	expanded	$\begin{array}{r} 600 \\ \cancel{700} \\ \rightarrow \cancel{50} \\ \rightarrow 14 \\ - \quad \quad \quad 80 \\ \hline 600 \rightarrow 60 \rightarrow 8 = 668 \end{array}$	compact	$\begin{array}{r} 6141 \\ \cancel{764} \\ - 86 \\ \hline 668 \end{array}$
--	----------	--	---------	---

The example shown would be explained as follows:

We are subtracting 86 from 754. Start with the least significant place value column. Are there enough ones to subtract 6?

No – so let's exchange a ten from the tens column for ten ones. 5 tens and 4 ones becomes 4 tens and 14 ones.

14 subtract 6 = 8

Are there enough tens to subtract 80?

No – so let's exchange a hundred from the hundreds column for ten tens. 7 hundreds and 4 tens becomes 6 hundreds and 14 tens.

14 tens (140) subtract 8 tens (80) = 6 tens (60)

$600 - 0 = 600$

Answer 668

Progression Towards Written Calculation Strategies – Multiplication

In this stage, the array is removed and children use the grid method.

This is an important step in retaining children's understanding of multiplication.

23×8

×	20	3	
8	160	24	$160 + 24 = 184$

Progression Towards Written Calculation Strategies – Division

This is the 'chunking' method of division in which children use key facts of the multiplication tables of the divisor.
The repeated subtraction is made more efficient by subtracting 'chunks' of the divisor and where steps are repeated, children are encouraged to combine these to make the process more efficient.

$$\begin{array}{r} 24 \\ 3 \overline{)72} \\ \underline{-30} \quad 10x \\ 42 \\ \underline{-30} \quad 10x \\ 12 \\ \underline{-12} \quad 4x \\ 0 \end{array}$$

$1x = 3$
$2x = 6$
$5x = 15$
$10x = 30$

$$\begin{array}{r} 24 \\ 3 \overline{)72} \\ \underline{-60} \quad 20x \\ 12 \\ \underline{-12} \quad 4x \\ 0 \end{array}$$

$$\begin{array}{r} 32 \text{ r}4 \\ 6 \overline{)196} \\ \underline{-180} \quad 30x \\ 16 \\ \underline{-12} \quad 2x \\ 4 \end{array}$$

$1x = 6$
$2x = 12$
$5x = 30$
$10x = 60$
$20x = 120$

Decision Making

When calculating, children should ask themselves:

- do I know the answer because it is a fact I have learnt?
- can I work it out easily in my head?
- can I use some equipment or a jotting?
- do I need to use the written method?

The strategies used within this document are taken from the Lancashire Mathematics Team Progression in Mental Calculation Strategies Policies and the Progression Towards Written Methods Policies. See www.lancsngfl.ac.uk/curriculum/primarymaths for the full policies.